



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/606,730	06/29/2000	Paul C. Wilson	07072-105001	6692

45456 7590 09/01/2004

RICHARD M. SHARKANSKY
PO BOX 557
MASHPEE, MA 02649

EXAMINER

PUENTE, EMERSON C

ART UNIT	PAPER NUMBER
----------	--------------

2113

DATE MAILED: 09/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/606,730

Applicant(s)

WILSON ET AL.

Examiner

Emerson C Puente

Art Unit

2113

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 June 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 4-54 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 8,26,32-39,44-46 and 52-54 is/are allowed.
- 6) ☒ Claim(s) 4-7,9,11-15,18,19,27,29-31,40-43 and 47-49 is/are rejected.
- 7) ☒ Claim(s) 10,16,17,20-25,28,50 and 51 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 June 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 5/20/2004
5/25/2004
6/22/2004
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2113

DETAILED ACTION

Claim 1-3 was canceled. Claims 4-54 have been examined.

This action is made **Final**.

Claim Objections

Claims 22-25, 35, 50, and 51 are objected to because of the following informalities:

Claims 22-24 are identical to claim 32-34, respectively. Please cancel claims 22-24.

Claim 25 recites identical limitation as base claim 23. Please cancel claim 25.

Claims 50 and 51 are identical to claim 32 and 34, respectively. Please cancel claims 50 and 51.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. § 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 4-7, 9, 11-15, 18, 19, 27, 29-31, 40-43, and 47-49 are rejected under 35 U.S.C. § 103(a) as being unpatentable over US Patent No. 5,214,768 of Martin in view of Ninomiya.

In regards to claims 4, Martin discloses a data storage system for transferring data between a host computer/server and a bank of disk drives through a system interface, such system interface comprising:

a plurality of first directors coupled to the host computer/server (see figure 1 items 14, 16, 18, 19);

a plurality of second directors coupled to the bank of disk drives (see figure 1 item 48).

a message network coupled to the plurality of directors and the plurality of second directors (see figure 1 item 40 and column 7 lines 35-62), such first and second directors

Art Unit: 2113

controlling data transfer between the host computer and the bank of disk drives in response to messages passing between the directors through the messaging network as such data passes through the memory via the data transfer section (see column 7 lines 63-68 and column 8 lines 1-18).

a data transfer section coupled to the plurality of first directors and the second directors (see figure 1 item 42).

wherein there are separate point-to-point data paths (see figure 1).

However, Martin fails to disclose a system interface comprising:

a cache memory ;

a data transfer section coupled to the cache memory;

wherein there are separate point-to-point data paths between each one of the directors and the global cache memory.

Ninomiya discloses a system interface comprising:

a cache memory (see figure 20 item 203 and column 1 lines 26-46).

a data transfer section coupled to the plurality of first directors, second directors, and cache memory (column 1 lines 26-46)

wherein there are separate point-to-point data paths between each one of the directors and the global cache memory (see figure 20 items 207, 208 and column 1 lines 26-46).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

In regards to claims 5, Martin in view of Ninomiya primary teaching fails to disclose:

including a backplane and wherein the cache memory and directors are interconnected through the backplane

However, Ninomiya's secondary teaching discloses:

including a backplane and wherein the cache memory and directors are interconnected through the backplane (see figure 8 and column 8 lines 29-30).

Art Unit: 2113

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include a backplane and wherein the cache memory and directors are interconnected through the backplane. A person of ordinary skill in the art would have been motivated because Ninomiya first teaching discloses host adaptors, cache memory, and disk adaptors being connected (see figure 20) and a backplane, as per secondary teachings of Ninomiya, enables connection of the host adaptors, cache memory, and disk adaptors (see column 8 lines 29-41)

In regards to claim 6, Ninomiya discloses a system wherein the backplane is a printed circuit board (see figure 8 and lines 29-30).

In regards to claim 7, Martin discloses a system wherein the messaging network comprises a switch network having a plurality of ports, each one of the ports being coupled to a corresponding one of the plurality of first and second directors. Martin discloses a control subsystem and switch subsystem (see figure 1 items 40, 42), which both could constitute as the messaging network, indicating a switch network having plurality of ports, each of the ports being coupled to a corresponding one of the plurality of first and second directors.

In regards to claim 9, Martin discloses a system interface comprising:
a plurality of first directors (see figure 1 item 14, 16, 18, and 19);
a plurality of second directors (see figure 1 item 48);
a messaging network(see figure 1 item 40), operative independently of the data transfer section(see figure 1 item 42), coupled to the plurality of first and second directors.

wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the messaging network with such messages by-passing the data transfer section (see column 5 line 63-67 and 7 lines 63-68)

wherein there are separate point-to-point data paths (see figure 1).

However Martin fails to disclose:

such data transfer comprising passing data through the directors to the cache memory in the data transfer section

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors;

Art Unit: 2113

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory.

Ninomiya discloses:

such data transfer comprising passing data through the directors to the cache memory in the data transfer section (see figure 20 item 203 and column 1 lines 26-46);

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors (see figure 20 item 203 and column 1 lines 26-46);

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory (see figure 20 item 207,208 and column 1 lines 26-46) .

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

In regards to claims 11-13, Martin discloses a system interface comprising:

a plurality of first directors (see figure 1 item 14, 16, 18, and 19);

a plurality of second directors (see figure 1 item 48);

a messaging network comprises a switch network having a plurality of ports, each one of the ports being coupled to a corresponding one of the plurality of first and second directors coupled to a corresponding one of the plurality of first and second directors (see figure 1 item 40,42);

wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the messaging network with such messages by-passing the data transfer section (see column 5 line 63-67 and column 7 lines 63-68)

wherein there are separate point-to-point data paths (see figure 1).

However Martin fails to disclose:

Art Unit: 2113

such data transfer comprising passing data through the directors to the cache memory in the data transfer section

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors;

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory.

Ninomiya discloses:

such data transfer comprising passing data through the directors to the cache memory in the data transfer section (see figure 20 item 203 and column 1 lines 26-46);

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors (see figure 20 item 203 and column 1 lines 26-46);

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory (see figure 20 item 207,208 and column 1 lines 26-46) .

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

Claim 14 is rejected under same rationale as claim 9

In regards to claim 15, Martin discloses wherein each one of the directors includes:

a data pipe coupled between an input of such one of the directors and the cache memory (see figure 3 item 138,140,142, and 144 and column 10 lines 46-62);

a controller for transferring the messages between the message network and such one of the directors (see column 6 lines 7-11)

Claim 18 is rejected under same rationale as claim 9

Claim 19 is rejected under same rationale as claim 15

Art Unit: 2113

Claim 27 is rejected under same rationale as claim 9.

Claims 29-30 are rejected under same rationale as claim 13.

In regards to claims 31, Martin discloses a system interface comprising:

a plurality of directors (see figure 1 item 14, 16, 18, 19, and 48);

a messaging network comprises a switch network having a plurality of ports, each one of the ports being coupled to a corresponding one of the plurality of first and second directors coupled to a corresponding one of the plurality of first and second directors (see figure 1 item 40,42);

wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the messaging network with such messages by-passing the data transfer section (see column 5 line 63-67 and column 7 lines 63-68)

wherein the messaging network passes the messages from any of the plurality of directors to a selected one of the plurality of directors (see column 8 lines 10-20).

wherein there are separate point-to-point data paths (see figure 1).

However Martin fails to disclose:

such data transfer comprising passing data through the directors to the cache memory in the data transfer section

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors;

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory.

Ninomiya discloses:

such data transfer comprising passing data through the directors to the cache memory in the data transfer section (see figure 20 item 203 and column 1 lines 26-46);

a data transfer section having a cache memory, such cache memory being coupled to the plurality of first and second directors (see figure 20 item 203 and column 1 lines 26-46);

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory (see figure 20 item 207,208 and column 1 lines 26-46) .

Art Unit: 2113

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

In regards to claims 40, Martin discloses a system interface comprising:

a plurality of first directors coupled to the host computer/server (see figure 1 item 14, 16, 18, 19);

a plurality of second directors coupled to the bank of disk drives (see figure 1 item 48);

a messaging network coupled to the plurality of first directors and the second directors (see figure 1 item 40,42), such first and second directors control data transfer between the host computer and bank of disk drives in response to messages passing between the directors through the messaging network as such data passes through the memory via the data transfer section (see column 7 lines 63-68 and column 8 lines 1-18)

wherein the messaging network passes the messages from any of the first plurality of directors to a selected one of said second plurality of directors and from any one of the second plurality of directors to a selected one of the first plurality of directors (see column 8 lines 10-20).

wherein there are separate point-to-point data paths (see figure 1).

However Martin fails to disclose:

such data transfer comprising passing data through the memory via the data transfer section

a data transfer section coupled to the plurality of first directors, the second directors, and the cache memory

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory.

Ninomiya discloses:

Art Unit: 2113

such data transfer comprising passing data through the memory via the data transfer section (see figure 20 item 203 and column 1 lines 26-46);

a data transfer section coupled to the plurality of first directors, the second directors, and the cache memory (see figure 20 item 203 and column 1 lines 26-46);

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory (see figure 20 item 207,208 and column 1 lines 26-46) .

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

In regards to claim 41, Martin in view of Ninomiya's first teaching fails to disclose; including a backplane and wherein the cache memory and directors are interconnected through the backplane

However, Ninomiya's secondary teaching discloses:

including a backplane and wherein the cache memory and directors are interconnected through the backplane (see figure 8 and column 8 lines 29-30).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to include a backplane and wherein the cache memory and directors are interconnected through the backplane. A person of ordinary skill in the art would have been motivated because Ninomiya first teaching discloses host adaptors, cache memory, and disk adaptors being connected (see figure 20) and a backplane, as per secondary teachings of Ninomiya, enables connection of the host adaptors, cache memory, and disk adaptors (see column 8 lines 29-41)

In regards to claim 42, Ninomiya discloses a system wherein the backplane is a printed circuit board (see figure 8 and lines 29-30).

In regards to claim 43, Martin discloses a system wherein the messaging network comprises a switch network having a plurality of ports, each one of the ports being coupled to a corresponding one of the plurality of first and second directors. Martin discloses a control subsystem and switch subsystem (see figure 1 items 40, 42), which both could constitute as the

Art Unit: 2113

messaging network, indicating a switch network having plurality of ports, each of the ports being coupled to a corresponding one of the plurality of first and second directors.

In regards to claims 47, Martin discloses a system interface comprising:

a plurality of first directors (see figure 1 item 14, 16, 18, 19);

a plurality of second directors (see figure 1 item 48);

a messaging network coupled to the plurality of first directors and the second directors (see figure 1 item 40,42);

wherein the first and second directors control data transfer between the first directors and the second directors in response to messages passing between the first directors and the second directors through the messaging network with such messages by-passing the data transfer section (see column 5 line 63-67 and 7 lines 63-68)

wherein the messaging network passes the messages from any of the first plurality of directors to a selected one of said second plurality of directors and from any one of the second plurality of directors to a selected one of the first plurality of directors (see column 8 lines 10-20).

wherein there are separate point-to-point data paths (see figure 1).

However Martin fails to disclose:

such data transfer comprising passing data through the memory via the data transfer section

a data transfer section coupled to the plurality of first directors, the second directors, and the cache memory

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory.

Ninomiya discloses:

such data transfer comprising passing data through the memory via the data transfer section (see figure 20 item 203 and column 1 lines 26-46);

a data transfer section coupled to the plurality of first directors, the second directors, and the cache memory (see figure 20 item 203 and column 1 lines 26-46);

Art Unit: 2113

and wherein there are separate point-to-point data paths between each one of the directors and the cache memory (see figure 20 item 207,208 and column 1 lines 26-46) .

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teaching of Martin such that the system interface comprises of a cache memory. A person of ordinary skill in the art would have been motivated to make the modification to Martin because Martin discloses performing read operations in a data storage retrieval system (see column 8 line 10) and having a cache memory, as per teachings of Ninomiya, would reduce read access time, thus providing a faster system.

Claim 49 is rejected under same rationale as claim 47 and 48.

Response to Amendment

Applicant's arguments filed February 21, 2004 have been fully considered but they are not deemed to be persuasive.

In response to applicant's argument on page 21 that states "With regard to claim 4-7, it is again respectfully submitted that there is no motivation to provide a cache memory in Martin," examiner respectfully disagrees.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). A cache memory, by definition (see Webster's dictionary), is a memory with very short access time used for storage of frequently used instructions or data. Thus, modifying Martin to incorporate a cache memory, as per teachings of Ninomiya, would provide a faster system because a cache would reduce read access time by storing frequently used data.

In response to applicant's argument on page 21 that states "Further, even assuming, for purposes of discussion, that one would add a data transfer section with a cache memory in

Art Unit: 2113

Martin, where is there any suggestion that the message network operates independently of the data transfer section, ..” examiner points out that Martin discloses a message network (see figure 1 item 40), which functions as a separate unit as the data transfer section (see figure 1 item 42) and thus operates independently of the data transfer section. Examiner maintains his rejection.

In response to applicant’s argument on page 21 that states “Further, even assuming, for purposes of discussion, that one would add a data transfer section with a cache memory in Martin, where is there any suggestion that the messages bypass the data transfer section, ..” examiner points out that Martin discloses a message network (see figure 1 item 40) communicating with the directors via communication line (see figure 1 item 58 ,62 and column 6 lines 5-15), thus bypassing the data transfer section. Examiner maintains his rejection.

Allowable Subject Matter

Claim 10,16,17,20,21, and 28 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 8, 26, 32-39, 44-46, and 52-54 are allowable as indicated in the previous office action.

Conclusion

Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period

Art Unit: 2113


will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emerson C Puente whose telephone number is (703) 305-8012. The examiner will be moving in October 2004. The examiner number at the new site is (571) 272-3652. The examiner can normally be reached on 8-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert W Beausoliel can be reached on (703) 305-9713. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-5631.

Emerson Puente
8/27/04


ROBERT BEAUSOLIEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100